

Kettle Tag® PLUS

Tags for Fabricators and Galvanizers



- For Galvanizers and Fabricators
- Resistant to:
 - Heat up to 1000°F (538°C)
 - Chemicals - caustic & acids rinses, molten zinc bath
 - Abrasion
 - UV Exposure
- 3" (76mm) Wide X Customizable Length
- Metal substrate with laser markable coating

Heat-resistant identification designed to withstand galvanizing kettle environments.

- The only tag that survives all 9 steps for galvanizing listed by the American Galvanizers Association
- Increase efficiency & reduce handling—tags are applied once and are readable throughout the process.
- Traceability & error proof installations.
- Printable with InfoSight LabeLase® Metal Tag Printers.
- Preprinted tags available



Find out how easy it is to design and print your tags with a LabeLase® Metal Tag Printer & free Producer™ Software.

Printers & Tags that cut costs, increase safety, & ensure traceability

InfoSight Corporation
20700 US Hwy 23
Chillicothe, OH 45601 USA

Tel: +1 740-642-3600
sales@infosight.com
www.infosight.com



WE BARCODE DIFFICULT STUFF®

KettleTag® PLUS

Technical Specifications

Industry	Metal galvanizing
Typical Customer	Galvanizers and fabricators
Purpose	Tracking work pieces through the entire galvanizing process
Resistance	Heat: 1000°F (538°C)
	Chemical: 180°F (82°C) in 20% H2SO4 for 2 hours; or 100°F (38°C) 24% HCL for 2 hours.
	Abrasion: Moderate
	Ultraviolet: Highly resistant to sunlight and fading
Sizes	Width: 3.0 in (76mm) Length: Custom to customer specifications, not less than 1.0 in (25mm) Typical Lengths: 3.0 in (76mm)
Composition	Metal with high contrast laser-markable coatings
Available Forms	Print on-site with one of InfoSight's durable, laser metal tag printers or preprinted by InfoSight
Available Colors	White and Yellow



Technical specifications are subject to change without notice.

Producer is a trademark of InfoSight.

Labelase, InfoTag, and "We Barcode Difficult Stuff" are registered trademarks of InfoSight.

Copyright 2025 InfoSight Corporation